

Hemp-test.com Analysis report

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.


CANNABINOID Analysis

CLIENT: UHEMP

DETAILS OF THE ANALYSIS		Sample type	OIL
Date	27.09.2020	Test requirement	Cannabinoids
REPORT ID	3920	Test Method	Gas chromatography
<hr/>			
SAMPLE NAME	10% CBD OIL		

RESULTS

Cannabinoids



Hemp-test.com is licensed by EIRLAB RESEARCH GROUP



All cannabinoids in their acid forms (ending in "-A") are convertible to their non-acid forms via a decarboxylation process (heating). The components lose mass through this process. To find the total theoretical active cannabinoids, one multiplies the acid forms by 87.7%. For example, CBD-A can be converted to active CBD using the formula: $CBD-A \times 0.877 = CBD$. In this case, the Max CBD for the sample is: $Max\ CBD\ (\%) = (\%CBD-A \times 0.877) + \%CBD$. The same calculation assay is valid for THC-A. This method has been validated according to the principles of the International Conference on Harmonisation.

Hemp-test warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. This report may not be reproduced, except in full, without the written approval of Hemp-test.com